

Rockfon® Artic™

Datasheet



Sounds Beautiful

Rockfon® Artic™

- Standard surface ideal for most common applications
- Good acoustic properties
- Basic range of dimensions in semi-concealed and visible grid options
- Easy to clean with a vacuum

Product Description

- Stone wool tile
- Visible side: nuanced white painted fleece
- Rear Side: back fleece

Application Areas

- Office
- Education
- Retail

Edge detail	Module size (mm)	Weight (kg/m ²)	MS / MS easy access (mm)	Recommended installation system
 A15	600 x 600 x 15	2,0	50 / 100	Rockfon® System T15 A™
 A24	600 x 600 x 15	2,0	50 / 100	Rockfon® System T24 A™
	1200 x 600 x 15	2,0	50 / 100	Rockfon® System XL T24 A™
 E15	600 x 600 x 15	2,2	60 / 100	Rockfon® System T15 E™
	1200 x 600 x 15	2,2	60 / 100	Rockfon® System T15 E™
 E24	600 x 600 x 15	2,2	60 / 100	Rockfon® System XL T24 E™
		2,2	60 / 100	Rockfon® System T24 E™
	1200 x 600 x 15	2,2	60 / 100	Rockfon® System T24 E™

MS = Minimum suspension


MS easy access = Minimum suspension - tiles demountable



Performance



Sound absorption
 α_w : 0,90 (Class A)



Reaction to fire
 A1



Light reflection
 82%



Humidity and sag resistance
 Up to 100% RH.
 No visible deflection in high humidity
 C/0N



Cleaning
 - Vacuum



Hygiene
 Stone wool provides no sustenance to microorganisms



Environment
 Fully recyclable stone wool
 The recycled content of Rockfon products is between 29% and 64% according to ISO 14021.
 Rockfon acoustic solutions are Cradle to Cradle Certified® Silver and Bronze (depending on product type).



Carbon footprint
 2.43 kg of CO2 eq.
 (cradle to gate based on EPD)



Indoor environment
 A selection of Rockfon products have been awarded the Finnish M1 emission classification for building materials and the Danish Indoor Climate Label for low emission products



Rockfon® is a registered trademark
of the ROCKWOOL Group.

Adresa magazinului:
Republica Moldova, Chisinau
Acces de pe strada Calea Mosilor 20; clădire în spate Goodyear Tire Center

Email: info@menatwork.md
Stationar: (+373) 22 43-57-19, 22 31-01-97, 22 49-56-66
GSM: (+373)79 448 346; (+373)68 881115
Fax: +373 30 55-51-65



Sounds Beautiful

06.2021 | All colour codes mentioned are based on the NCS - Natural Colour System® property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.

Rockfon